











# FAA - Auto-Aspirante

Standard		Opcional
	GG15 - Rosca	-
	AI - Fechado	-
	GCB - 5/8"	GCV, GCE, SSB, SSV, SSE
	2P, 60Hz, IP21	-





Modelo	cv			Monofásico Single Phase Monofásico	Trifásico Three Phase Trifásico	Altura Manométrica Total (mca) Total Head (m) / Altura manométrica total																Pressão Máx. (psic) Max. Press. (PSI)					
						2	4	6	8	10	12	14	16	18	20	22	24	26	28	33	36		39	42	45	48	51
Modelo	hp	Ø	Bitolas (pol)	(v)	(v)	Q - Tabela de Vazões (m³/h) Q- Flow Rate (m³/h) / Q- tabla de caudales (m³/h)																					
Modelo	hp	(mm)	Size (in) Conexões (pulg)	(v)	(v)	Q- Flow Rate (m³/h) / Q- tabla de caudales (m³/h)																					
FAA5C	1/2	105	1" x 3/4"	110/220	-	2,31	2,28	2,24	2,20	2,15	2,10	2,04	1,96	1,85	1,68	1,45	1,25	1,10	0,97	0,71	0,56	0,41	0,25	0,03			47,0
FAA6A	3/4	122	1" x 3/4"	110/220	-	2,42	2,39	2,35	2,32	2,27	2,23	2,18	2,12	2,06	1,99	1,90	1,80	1,59	1,10	0,91	0,67	0,46	0,29	0,14			48,0
FAA6C	1,0	132	1" x 3/4"	110/220	-	2,53	2,45	2,41	2,35	2,30	2,27	2,23	2,17	2,11	2,03	1,98	1,85	1,67	1,43	1,16	0,94	0,69	0,46	0,29	0,15		52,0
FAA6D	1,0	132	1" x 1"	110/220	-	2,53	2,45	2,41	2,35	2,30	2,27	2,23	2,17	2,11	2,03	1,98	1,85	1,67	1,43	1,16	0,94	0,69	0,46	0,29	0,15		52,0
FAA6E	1,5	142	1" x 1"	220/380/440	-	2,62	2,58	2,55	2,51	2,48	2,43	2,39	2,34	2,29	2,22	2,15	2,07	1,97	1,85	1,36	1,06	0,83	0,65	0,50	0,37	0,25	58,0
FAA6F	1,5	142	1" x 1"	220/380/440	-	2,62	2,58	2,55	2,51	2,48	2,43	2,39	2,34	2,29	2,22	2,15	2,07	1,97	1,85	1,36	1,06	0,83	0,65	0,50	0,37	0,25	58,0






# FAG - Auto-Aspirante

Standard		Opcional
	GG15 - Rosca	-
	AI - Fechado	-
	GCB - 1/2"	GCV, GCE, SSB, SSV, SSE
	2P, 60Hz, IP21	-





Modelo	cv			Monofásico Single Phase Monofásico	Trifásico Three Phase Trifásico	Altura Manométrica Total (mca) Total Head (m) / Altura manométrica total																Pressão Máx. (psic) Max. Press. (PSI)					
						2	4	6	8	10	12	14	16	18	20	22	24	26	28	33	36						
Modelo	hp	Ø	Bitolas (pol)	(v)	(v)	Q - Tabela de Vazões (m³/h) Q- Flow Rate (m³/h) / Q- tabla de caudales (m³/h)																					
Modelo	hp	(mm)	Size (in) Conexões (pulg)	(v)	(v)	Q- Flow Rate (m³/h) / Q- tabla de caudales (m³/h)																					
FAG	1/4	102	3/4" x 3/4"	110	-	1,94	1,93	1,92	1,88	1,82	1,74	1,60	1,09	0,80	0,63	0,49	0,35	0,17									27,0
FAG	1/3	108	3/4" x 3/4"	ou	-	1,96	1,95	1,94	1,92	1,89	1,85	1,79	1,42	1,18	1,05	0,92	0,74	0,46	0,30								31,0
FAG	1/2	115	3/4" x 3/4"	220	-	1,98	1,97	1,95	1,93	1,91	1,89	1,82	1,65	1,28	1,16	1,05	0,90	0,54	0,36								33,0
FAG	3/4	117	3/4" x 3/4"	220	-	2,00	1,98	1,96	1,95	1,93	1,90	1,88	1,85	1,80	1,78	1,24	1,13	1,02	0,91	0,32	0,21						38,0

# FBX - Auto-Escorvante (águas turvas)

Standard		Opcional
	GG20 - Rosca	-
	GG20 - Semiaberto	-
	GCB - 5/8"	GCV, GCE, SSB, SSV, SSE
	Graxa	-
	2P, 60Hz, IP21	IP55



Auto aspiração até 5,0m de desnível com 8,0m de mangote

Modelo	cv			Monofásico Single Phase Monofásico	Trifásico Three Phase Trifásico	Altura Manométrica Total (mca) Total Head (m) / Altura manométrica total										Pressão Máx. (psic) Max. Press. (PSI)											
						2	4	6	8	10	12	14	16	18	20		24	26									
Modelo	hp	Ø	Bitolas (pol)	(v)	(v)	Q - Tabela de Vazões (m³/h) Q- Flow Rate (m³/h) / Q- tabla de caudales (m³/h)																					
Modelo	hp	(mm)	Size (in) Conexões (pulg)	(v)	(v)	Q- Flow Rate (m³/h) / Q- tabla de caudales (m³/h)																					
FBX 20	3/4	75	2" x 2"	110/220	220/380/440	24,7	18,8	11,9	2,9																		8,5
FBX 10	3/4	87	2" x 2"	110/220	220/380/440	24,4	20,5	16,1	11,1	4,8																	11,0
FBX 20	1,0	80	2" x 2"	110/220	220/380/440	27,5	22,6	17,0	9,9																		10,0
FBX 10	1,0	92	2" x 2"	110/220	220/380/440	28,4	24,3	20,0	15,1	9,4	2,6																12,5
FBX 20	1,5	86	2" x 2"	110/220	220/380/440	32,1	27,5	22,5	16,8	9,7																	12,0
FBX 10	1,5	95	2" x 2"	110/220	220/380/440	30,1	26,5	22,5	18,3	13,5	8,0	1,4															14,5
FBX 20	2,0	95	2" x 2"	110/220	220/380/440	38,6	35,0	31,0	26,7	21,6	15,5	6,9															15,0
FBX 10	2,0	106	2" x 2"	110/220	220/380/440	35,2	32,2	29,0	25,5	21,7	17,4	12,5	6,4														17,5
FBX 20	3,0	105	2" x 2"	220/440	220/380/440	42,9	40,2	37,4	34,4	31,1	27,4	23,3	18,4	12,0													20,0
FBX 10	3,0	120	2" x 2"	220/440	220/380/440	40,7	38,6	36,4	34,1	31,6	28,9	26,0	22,8	19,2	14,9	9,4											24,0
FBX 20	4,0	117	2" x 2"	220/440	220/380/440	49,6	47,2	44,6	41,9	39,0	35,9	32,5	28,8	23,5	17,5	9,0											24,5
FBX 10	4,0	124	2" x 2"	220/440	220/380/440	*	*	*	*	*	*	*	32,5	28,2	23,4	18,1	11,9	4,1									27,0

Nunca utilizar a motobomba nas faixas marcadas com asteriscos. / Do not use the pump in asterisk condition. / No utilizar la bomba en el rango marcado con asterisco.